| | |
|---|---|
| Program: Adult-Gerontology Primary Care Masters NP and Adult Gerontology Primary Care Post Master's Certificate NP | Department: Nursing |
| Degree or Certificate Level: MSN, Post Master's Certificate | College/School: Trudy Busch Valentine School of Nursing |
| Date (Month/Year): February, 2021 | Primary Assessment Contact: Joanne Thanavaro |
| In what year was the data upon which this report is based collected? 2020 | |
| In what year was the program's assessment plan most recently reviewed/updated? 2021 | |

Which of the program's student learning outcomes were assessed in this annual assessment cycle?

**Outcome #1:** Implement collaborative strategies to provide ethical, high quality, safe, effective, patient-centered care.
**Outcome #7:** Utilize health care informatics and technologies to support practice.

Which artifacts of student learning were used to det

NURS 5810 (n= 9) - This class is held in the fall semester, and as such they experienced some disruption in clinical time. 8 of the 9 students completed all requirements and received a final clinical evaluation. All evaluations

| | | | | | |
|---|---|---|---|---|---|
| | | | | | |
| | | | | | |
| | | | | | |

| | | | | | |
|---|---|---|---|---|---|
| | | | | | |

Utilizes electronic resources (web-based;

| | | | | | |
|---|---|---|---|---|---|
| Readily identifies normal an abnormal findings | | | | | |
| Develops reasonable differential diagnosis | | | | | |
| Therapeutic Planning | | | | | |

Demonstrat>BDC qe (bl)-1

# APPENDIX I
# AGNP PRIMARY CARE

Case 1
Jose
Instructions to the Student:

Chief Complaint:

Jose is a 42 year old male, construction worker, who was in his usual state of health until 2 days ago when while playing soccer in an over 30 league he injured his left knee.

| | |
|---|---|
| Vital signs, height, weight | BP: 136/86 P: 84 R: 18 T: 99<br>Ht: 70" Wt: 230 lbs. |

Tasks: You have 30 minutes to complete the following:

1. State the preexamination differential diagnoses.
2.

Student Name _____ CASE # 1

Instructor _____

Date _____-

Instructor solicited information:
Pre-examination diagnoses after chart review and before seeing client.

1. Possible muscle strain or ligament strain left leg
2. Obesity

Grade: History: 30pts _____
PE: 30 pts_____
Diagnoses 15 pts _____
Treatment 25 pts _____
Total: _____

Client – Script for Physical Assessment

| Instructor Check off (30pts) | System | Findings |
| --- | --- | --- |

Management Plan

| Instructor check off | [redacted] | Comments |
| --- | --- | --- |

[redacted]

[redacted]

- In general you feel well
- You wear glasses, your last eye exam was five years ago
- Black nail bed index finger left hand, from hammer 2 weeks ago, growing out fine.

## Student copy of PE findings

| System | Findings |
| --- | --- |

Client – Script for the Client History:
CC: “my knee is hurt and swollen”

1.

Case #2
Mike Kelly
Instructions to the Student:

Chief Complaint:

Mike is a 22 year old male, college student, who was in his usual state of health until 3 days ago when he noticed ear fullness, nasal congestion, and a sore throat. He is new to your practice.

| | |
|---|---|
| Vital signs, height, weight | BP: 126/76 P: 84 R: 18 T: 99<br>Ht: 70” Wt: 180 lbs. |

Tasks: You have 30 minutes to complete the following:

9. State the preexamination differential diagnoses.
10. Obtain a focused History.
11. Perform a 30.4.76100h5.6 476.34 Tm ( )Tj 23fol (r4 (n49i-E9C1 (iPi)-1<(MaC)D.1i30.347>>E

Student Name _____

Instructor _____

Date _____-

Instructor solicited information:
Pre-examination diagnoses after chart review and before seeing client.

Otitis media; acute sinusitis; pharyngitis (r/o strep); viral syndrome

| | | |
|---|---|---|
| Grade: History: | | 30pts _____ |
| | PE: | 30 pts_____ |
| | Diagnoses | 15 pts _____ |
| | Treatment | 25 pts _____ |

Total: _____

Student Name _____ CASE # 2

Instructor _____

Date_____

During direct observations of a patient encounter or a given case simulation, score the student on the following program outcomes:

| Program Learning Outcomes | Advanced | Proficient | Not Proficient |
|---|---|---|---|
| 3A.Thestudent integrates advanced competencies in relationships with patients/professionals. | | | |
| 3B. The student integrates advanced theories in relationsh with patients/professionals. | | | |
| 3c. The student integrates cultural sensitivity in relationshi with patients/professionals. | | | |
| 4a. The student designs culturally sensitive patient care th includes health promotion and disease prevention. | | | |

Definitions:
Advanced: Performs/demonstrates at a superior level with no verbal cues or prompting (91-100)
Proficient: Performs/demonstrates at the expected level with minimal verbal cues or prompting (8090)
Not Proficient: Performs/demonstrates below minimally competent level; requires frequent verb cues/prompting. Requires remediation. (79 or below)

History : 30pts

| | | |
|---|---|---|
| (1pt) | Confirm chief complaint | |
| (8pt) | HPI: onset | |
| | Duration | |
| | Quality | |
| | Quantify pain | |

Client – Script for Physical Assessment

| Instructor Check off (35pts) | System | Findings |
|---|---|---|
| | Demonstrates cultural sensitivity during physical examination | Ie. Draping, covering/uncovering, gende of provider/religious preferences observed |
| | Vital signs, height, weight | BP: 126/76 P: 84 R: 18 T: 99.6<br>Ht: 70" Wt: 180 lbs. BMI=25.8 |
| 1 | General appearance | Well nourished, well developed, alert ar oriented X3, appropriate, pleasant |
| 2 | Skin | Warm dry, ndesions, cuts or bruises, suntanned, callused hands, blackened nail bed index finger left hand; No rashes or lesions |
| 6 | Eyes/Nose/Sinus | Sclera white. Conjunctiva pink, not injected. Sinuses not tender. Erythema present but turbinates not swollen; yellow discharge present |
| 6 | Ears | Auricles without tenderness. Canals cle L TM has fluid present but not erythematous; R is pearly with normal landmarks |
| 6 | Mouth<br>Pharynx | Dentition good; oral mucosa without lesions; Tonsils without exudate but 3+ and cryptic. Halitosis present<br>Pharynx: Erythema present |
| 6 | Neck/Lymph | Supple, full ROM, no thyroid enlargement, or bruits; Anterior cervical lymphadenopathy present bilaterally |
| 3 | Heart/peripheral vascular | |

Client – Script for the Client History:
CC: “My throat has been sore for 3 days”

1. History of Present Illness

Case: # 3
Kelsey
Instructions to the Student:

Chief Complaint: I feel terrible; I keep getting pain and diarrhea

HPI: Kelsey is an 18 y.o female or male who periodically seen for minor complaints. Today she comes in with a complaint of having problems with abdominal pain following meals. The pain will go away after she has a bowel movement but sometimes she also gets diarrhea. Sometimes she is constipated.

| | |
|---|---|
| Vital signs, height, weight | Female: Height: 5'4" Weight: 110<br>Male: Height 5'10' Wt 165<br>Temp: 97.8 Pulse =72 Tanner level: V |

Task

You have 30 minutes to:

1. State the possible differential diagnoses at the onset
2. Obtain a focused history
3. Perform a focused physical assessment
4. Re-examine the list differential diagnoses
5. State your diagnosis
6. Develop a therapeutic plan include, all of the following if appropriate: pharmacological, nursing/supportive therapies health promotion and health education, and follow-up.

Student Name _____

Instructor _____

Date _____-

Instructor solicited information
Pre-examination diagnoses before seeing the patient

Abdominal Pain

1) IBS
2) H. Pylori infection
3) Lactose intolerance
4) Infectious diarrhea

| | | |
|---|---|---|
| Grade: History: | 30 pts | _____ |
| PE: | 30 pts | _____ |
| Diagnoses | 15 pts | _____ |
| Treatment | 25 pts | _____ |

Total: _____

Student Name _____ CASE # 3

Instructor _____

Date _____

During direct observations of a patient encounter or a given case simulation, score the student on the following program outcomes:

| Program Learning Outcomes | Advanced | Proficient | Not Proficient |
|---|---|---|---|
| 3A. The student integrates advanced competencies in relationships with patients/professionals. | | | |

1. Relieved with defecation; and/or
2. Onset associated with a change in frequency of stool; and/or
3. Onset associated with a change in form (appearance) of stool.

Symptoms that Cumulatively Support the Diagnosis of IBS:
1. Abnormal stool frequency (may be defined as greater than 3 bowel movements per day and less than 3 bowel movements per week);
2. Abnormal stool form (lumpy/hard or loose/watery stool);
3. Abnormal stool passage (straining, urgency, or feeling of incomplete evacuation);
4. Passage of mucus;

Client – Script for Physical Assessment

| Instructor check off (20pts) | System | Findings |
|---|---|---|
| | Demonstrates cultural sensitivity during physical examination | Ie. Draping, covering/uncovering, gende of provider/religious preferences observed |
| | Vital signs, height, weight | |

List of Differential Diagnoses
Abdomen:
1. IBS

Final Diagnosis
IBS
Management Plan

| Instructor checkoff | (30points) | Comments |
|---|---|---|
| | Accurate treatment decisions (15pts) | |
| | Diagnostic tests:<br>TSH: normal range<br>CBC: normal limits | |
| | Pharmacology: | |
| | Therapeutic Communication(15 pts | |
| | Explanations easily understandable and culturally appropriate | |
| | Professional approach | |
| | Explained findings & diagnosis clearly | |
| | Importance of follow up (4weeks) | |
| | Patient education addresses :<br>goals in life, sexual activity, ETOH<br>health promotion: | |
| | Medical therapies: | |
| | Referral to Student Counseling | |

Smoking: TTM: pre-contemplation Bring up at each visit

Best combination of medicine (Imodium, antispasmodic, antidepressant, Lotronex) diet, counseling, and support to control your symptoms. Lotronex has been reapproved with significant restrictions by the U.S. Food and Drug Administration (FDA) for women with severe IBS who have not responded to conventional therapy and whose primary symptom is diarrhea. However, even in these patients, Lotronex should be used with great caution because it can have serious side effects such as severe constipation or decreased blood flow to the colon. (Prescriber must be registered) Evidence is poor to fair for the use of antidepressants.Stress management is an important part of treatment for IBS. Stress

# Script for Patient (Instructor copy)

You are an 18 year old girl and comes in alone.
You don't appear to be in any immediate distress.

CC "I feel terrible, I keep getting pain and diarrhea"

History of Present Illness
You have noticed that you seem to get diarrhea frequently. You find it potentially embarrassing. But sometimes you get constipated too. You eat at the school cafeteria and try to get some fruits and vegetables but it seems they always serve the same thing. Menarche at 13 and her menstrual periods have been regular). The diarrhea comes after meals. The pain goes away as after you have had a BM, but it seems to take a while before you feel finished. You haven't really tried to take any medicine because you don't know what to take. You are embarrassed in answering questions.
You tend to get cold easily.

Past Medical History
No known allergies. No prescription medications
You have enjoyed good physical health in the past
No major illness, but had atopic dermatitis as child, none lately
No significant skin problems in family, parents alive and well

Personal and Social History
You smoke with friends—not more than ¼ ppd, has an occasional drink at a party, has never been sexually active. Likes camping and skiing and helps out at a local veterinarian's office. Doesn't do SBE; no pap to date. No exercise exactly but occasionally plays volley ball.

You don't want to stop smoking (if asked) wants to be like friends
Will play volley ball more often (if asked)
Will check BP once a year
Eats fruits and vegetables and occasionally chocolate you eat dairy products and have not noticed any symptoms related to the intake of dairy.
Lives in college dorm. Gets along well with mother and father. No gun in house.

You have not traveled out of the country.

ROS: negative

Physical Exam:
You are a little concerned about the physical exam and ask questions about what the nurse practitioner is finding. For example, why are you looking in my ears? "They are fine."
When the nurse practitioner tells you, you want to know what that means

Treatment Plan:
You want to know what the medicine is and why your have to take it.

For the IBS you look sad/perturbed. Ask many questions and have difficulty understanding the directions.
Say you just want to take a pill to keep you regular.

Student copy of physical findings

CASE 4

Mrs. H.
Instructions to the Student

Mrs. H. is a 41 year old white female who first visited the clinic one month ago for a women's health exam (all negative) under the Missouri Department of Health Breast and Cervical Cancer Project, because she is uninsured. Her income is 150% the poverty level. At the time of her women's health exam, her mean blood pressure was an asymptomatic 154/94 (LA) with no orthostatic changes, no history of hypertension. Since that time, she has returned twice to the clinic for a blood pressure check. Two weeks ago, her mean left arm blood pressure was 162/98; and, one week ago, 166/96. There were no significant right arm/left arm differences. She has brought her B/P record with her. She returns today to consult with you regarding diagnosis and treatment.

| | | |
|---|---|---|
| Vital signs, height, weight | Baseline information | 170/96 LA (sitting and standing, large cuff)<br>166/94 RA (sitting)<br>HR: 72 R: 18 T: 97.8 F<br>Height: 5'6" Weight: 190# |

Tasks:

You have 30 minutes to

1. State pre-examination differential diagnosis and their rationale.
2. Obtain a focused history.
3. Perform a physical assessment.
4. Re-

Student Name _____ CASE # 4

Instructor _____

Date _____

During direct observations of a patient encounter or a given case simulation, score the student on the following program outcomes:

| Program Learning Outcomes | Advanced | Proficient | Not Proficient |
|---|---|---|---|
| 3A.The student integrates advanced competencies in relationships with patients/professionals. | | | |
| 3B. The student integrates advanced theories in relationsh with patients/professionals. | | | |
| 3c. The studen integrates cultural sensitivity in relationship with patients/professionals. | | | |
| 4a. The student designs culturally sensitive patient care th includes health promotion and disease prevention. | | | |

Definitions:

Advanced: Performs/demonstrates at a superior level with no verbal cues or prompting (91-100)

Proficient: Performs/demonstrates at the expected level with minimal verbal cues or prompting (80-90)

Not Proficient: Performs/demonstrates below minimally competent level, requires frequent verb cues/prompting. Requires remediation. (79 or below)

Instructor Checklist: Physical assessment (3) 0 (3)

| Pts | System | Rationale | Findings |
|---|---|---|---|
| | | Demonstrates cultural sensitivity during physical examination | Ie. Draping, covering/uncovering, gender of provider/religious preferences observed |
| | Vital signs, height, weight | Baseline information | 170/96 LA (sitting and standing, large cuff)<br>166/94 RA (sitting)<br>HR: 72 R: 18 T: 97.8 F<br>Height: 5'6" Weight: 190# |
| | Facies and general appearance | With HTN, want to r/o Cushing's, hyperthyroidism, SLE | Pleasant appearing, obese middle-aged female with normal facies and general appearance. No facial changes characteristic of Cushing's, hyperthyroidism, nor SLE. No truncal obesity or abnormal fat distribution over spine. |
| | Skin, lip color | Good indicator of adequate oxygenation | Skin color good, lips pink |
| | HEENT | Especially important to look for xanthomas and signs of retinal hemorrhage and AV nicking as patient may have a long-standing problem with HTN | Normocephalic, no xanthomas. PEERLA. EOMS intact. Fundoscopic: Red flex present, not nicking or AV hemorrhages. TM intact bilaterally. Pharynx: swallows without difficulty, no erythema<br>Neck: nonpalpable thyroid, no carotid burit, no lymphadenopathy. |
| | Lungs | With patient's cat allergy, look for any signs of external supraclavicular or intercostals retractions, wheezing. With history of HTN, look for rales. | No supraclavicular nor intercostals retractions; AP/lateral diameter WNL; chest expansion WNL; inspiratory/expiratory ratio at trachea WNL. Lungs clear to auscultation and percussion; no wheezing, rales, no rhonchi. |
| | Heart | With HTN, be especially alert for increased heart size, arrhythmias, gallops murmu | Apex at 5th ICS at MCL. RRR; S1 greater th S2 apex. No murmurs or gallop rhythm noted. |
| | Abdomen | With HTN, look especially for | |

| | | | |
|---|---|---|---|
| | Neurologic | Important in HTN to detect any deficit and to obtain a baseline. | Alert, oriented x3, exhibits coordinated gait Romberg negative. Perceives light touch and pain in all extremities, bilaterally. Vibratory sense intact. Brachial, radial, patellar, and Achilles DTRs 2+. No apparent neuro defe |

Differential Diagnosis Post H & P
Stage 2 HTN

Probable not secondary HTN
No signs of Cushing's renal disease, renal artery stenosis, or connective
nnis, o

Your lungs are fine. You have no shortness of breath, walk up hills and stairs fine, have never awakened at night short of breath. You do not smoke.

Neither with exercise or at rest have you ever had any chest pressure or pain, no left shoulder or arm pain, no left index finger pain, no throat, neck or jaw pain. You have never had high blood pressure before.

You have no difficulty eating. You have no abdominal pain or discomfort. You are not constipated nor do you get diarrhea – just normal stools, usually once/day.

You have never had a kidney or bladder infection.

Your pregnancies were all normal, no complications. (Your other female exam information was taken at the last visit and there is no need to repeat it here).

Your joints are fine. You walk, OK. You do not experience leg cramps with walking, nor do you have abnormal tingling or other sensations in your hands or feet.

You never had a thyroid problem. You do have thirst but you do have excess hunger. You are getting up more often once during the night to void and you only use the bathroom at work during a coffee break and at lunch. You would like to lose about 15 pounds. Your 24 hour diet recall is:

Breakfast: two eggs, toast, coffee
Lunch: Diet coke, Hardy's cheeseburger, fries
Supper: Pork chop, mashed potatoes, cake
TV snack: Popcorn

You have never been depressed, except after your husband died – but you think that was grief. You eventually felt better and each day you try to be upbeat. You do not feel stressed. You sleep fine, about 7 hours/night. You have had no change in weight or eating habits. You feel good about life. You have a boyfriend, a truck driver.

Physical Exam (Student Copy)

| System | Findings |
|---|---|
| Vital signs, height, weight | 170/96 LA (sitting and standing, large cuff)<br>166/94 RA (sitting)<br>HR: 72<br>R: 18<br>T: 97.8 F<br>Height: 5'6"<br>Weight: 190# |
| Facies and general appearance | Pleasant appearing, obese middle-aged female with normal facies and general appearance. No facial changes characteristic of Cushing's, hyperthyroidism, nor SLE. No truncal obesity or abnormal fat distribution over spine. |
| Skin, lip color | Skin color good, lips pink |
| HEENT | Normocephalic, no xanthomas. PEERLA. EOMI. Fundoscopic: Red flex present, not nicking or AV hemorrhage. TM intact bilaterally. Pharynx: swallows without difficulty, no erythema<br>Neck: nonpalpable thyroid, no carotid burit, no lymphadenopathy. |
| Lungs | No supraclavicular nor intercostal retractions; AP/lateral diameter WNL; chest expansion WNL; inspira4mrNexpiralorraioaricher WNt.[(Lung)1 (n)1 ( cs)2.1lacrV |

Script for the Patient (Student copy):
You are a 41 year old

ROS:

Head: no headaches, no history of seizures, fainting, or dizzy spells

Your last eye exam shows one year ago. You have no trouble reading with the glasses your eye doctor said to buy OTC at Walmart.

No sinus problems, no teeth/mouth/throat problems
Neck is fine and it moves well as do your joints

Your lungs are fine. You have no shortness of breath, walk up hills and stairs fine, have never awakened at night short of breath. You do not smoke.

Neither with exercise or at rest have you ever had any chest pressure or pain, no left shoulder or arm pain, no left index finger pain, no throat, neck or jaw pain. You have never had high blood pressure before.

You have no difficulty eating. You have no abdominal pain or discomfort. You are not constipated nor do you get diarrhea – just normal stools, usually once/day.

You have never had a kidney or bladder infection.

Your pregnancies were all normal, no complications. (Your other female exam information was taken at the last visit and there is no need to repeat it here).

Your joints are fine. You walk, OK. You do not experience leg cramps when walking, nor do you have abnormal tingling or other sensations in your hands or feet.

You never had a thyroid problem. You do have thirst but you do have excess hunger. You are getting up more often once during the night to void and you only use the bathroom at work during a coffee break and at lunch. You would like to lose about 15 pounds. Your 24 hour diet recall is:

Breakfast: two eggs, toast, coffee
Lunch: Diet coke, Hardy's cheeseburger, fries
Supper: Pork chop, mashed potatoes, cake
TV snack: Popcorn

You have never been depressed, except after your husband died – but you think that was grief. You eventually felt better and each day you try to be upbeat. You do not feel stressed. You sleep fine, about 7 hours/night. You have noticed no change in weight or eating habits. You feel good about life. You have a boyfriend, a truck driver.

Case: 5
Annetta
Instructions to the Student:

Chief Complaint:  weakness and fatigue more than usual over the last 2 months

HPI: Annetta, a 56yeaold African American female, was in good health until about 2 months ago when she began to feel weak and tired more rapidly then usual.  She also noticed she was getting up several times a night to urinate.  Whenever she sis get up she was thirsty and would drink a glass of water and go back to bed.  This was occurring 23 times a night so she thought she was maybe just not getting enough sleep.  She felt like she wasn't as productiat work and just did not feel like going everyday.

| | |
|---|---|
| Vital signs, height, weight | Female: Height:  5'7" Weight:  202 lbs<br>Temp :  98.4  Pulse =76  BP 142/78 |

Student Name _____ CASE # 3

Instructor _____

Date_____-

Instructor solicited information
Pre-examination diagnoses before seeing the patient

Fatigue: Anémia
Thyroid
Diabetes
Chronic Fatigue Syndrome
Depression
Sleepdisorder
UTI

Grade: History: 30 pts _____
PE: 30 pts_____
Diagn 0 Td ( )hsorder
3: 2 8 0 Td ( )Tj 1 >>B5MC /P <</MCID 31 >>BDC -26.2j 3 0 Td ( )Tj 0.00 _____

Student Name _____ CASE # 5

Instructor _____

Date _____

During direct observations of a patient encounter or a given case simulation, score the student on the following program outcomes:

| Program Learning Outcomes | Advanced | Proficient | Not Proficient |
|---|---|---|---|
| 3A.The student integrates advanced competencies in relationships with patients/professionals. | | | |
| 3B. The student integrates advanced theories in relationsh with patients/professionals. | | | |
| 3c. The student integrates cultural sensitivity in relationshi with patients/professionals. | | | |
| 4a. The student designs culturally sensitive patient care tha includes health promotion and disease prevention. | | | |

Definitions:
Advanced: Performs/demonstrates at a superior level with no verbal cues or prompting (91-100)
Proficient:Performs/demonstrates at the expected level with minimal verbal cues or prompting (80-90)
Not Proficient: Performs/demonstrates below minimally competent level; requires frequent verb cues/prompting. Requires remediation. (79 or below)

History : 30pts

| | | |
|---|---|---|
| (2pt) | Confirm chief complaints | |
| (10pt) | HPI: onset :2 months ago | |
| | Progression of symptoms: | |

| | | |
|---|---|---|
| | Immunizations:Can't remember last tetanus, doesn't think she needs flu sho | |
| | Medication: No prescription meds, takes OTC Ibuprofen for headaches PRN, no herbal | |
| | Allergies none | |
| | Health maintenance self-breast exam monthly, never EKG, TM, or Xray (rest below) | |
| 2pt | Family History<br>P0.48 re f 165.96 624.f 166.44 579.66 2 | |

| | | |
|---|---|---|
| | -Abd, denies indigestion, regular BM nc blood. Diet should be ? if not previous<br><br>-Female gyn, menses age 11, menopause 52, occ yeast infections treated with OTC meds<br><br>-Neuro, numbness tingling, wakes at night, several years, moving or changing positions helps<br><br>_all other systems unremarkable | |

Client – Script for Physical Assessment

| Instructor check off (30pts) | System | Findings |
| --- | --- | --- |

| | | |
|---|---|---|
| | | Strength all 5/5<br>Memory intact recent and past<br>Smooth clear speech |

| | | |
|---|---|---|
| | Therapeutic Communication | |
| | Explanations easily understandab and culturally appropriate<br>- Pathology of Diabetes,<br>- Signs and symptoms<br>- Home glucose monitoring/ log<br>- Target range for Blood glucose and what to do<br>- Diet , Exercise, Weight loss<br>- Complications of diabetes<br><br>Explain effects of Obesity<br>Explain effects of elevated BP | |
| | Professional approach | |
| | Explained findings & diagnosis clearly<br>Importance of follow up (1weeks) | |

| | | |
|---|---|---|
| | BP check at each visit, NAS as mentioned above<br><br>Smoking cessation,<br>No alcohol for now<br><br>Health Promotion: Seat belts, smoke detectors (older home), colonoscopy, flu shot, stress management and sleep hygiene, DEXA, Pelvic Pap<br>_Annual eye exam, foot exam, dental BP checks | |
| | Help her to set personal goals for a education: Wt loss, Exercise, BS<br>Referral to: Diabetic Educator<br>Dietitian<br>Podiatrist<br>Ophthalmologist<br>Dental<br>Local Support Group | |

| | | |
|---|---|---|
| LDL | 84 mg/dl | < 100 |
| Triglycerides | 177 mg/dl | < 150 |
| Chol: HDL ratio | 3.8 | < 50 |
| | | |
| Urinalysis | | |
| Color | Straw | |
| PH | 6.0 | |
| SpG | 1.025 | |
| Protein | Neg | |
| Ketones | Neg | |
| Glucose | 4+ | |
| Blood | Neg | |
| Leucocytes | Neg | |
| | | |

CXR, clear

EKG, NSR (see attached)

Script for Patient (Instructor copy)

You are a 56-year-old AA female administrative secretary who came in alone in no apparent distress

CC: I feel weak and tired more than usual over the last 2 months

History of Present Illness

.

HPI: Annetta was in good health until about 2 months ago when she began to feel weak and tired more

Past Medical History

| | |
|---|---|
| Heart/Peripheral vascular | RRR without murmur or gallop, S1 and S2 within normal limits, all pulses present equal and strong, Femoral, popliteal, dorsalis pedis 2 + bilaterally, no carotid bruits or thrills appreciated. PMI 5th ICS, Left MCL. No edema, capillary refill rapid. |

Script for Patient (Student copy)

You are a 56 year-old AA female administrative secretary who came in alone in no apparent distress

CC: I feel weak and tired more than usual over the last 2 months

History of Present Illness

.

HPI: Annetta was in good health until about 2 months ago when she began to feel weak and tired more rapidly then usual. She also noticed she was getting up several times a night to urinate. Whenever she sis get up she was thirsty and would drink a glass of water and go back to bed. This was occurring 3 times a night so she thought she was maybe just not getting enough sleep. She felt like she wasn't as productive at work and just did not feel like going everyday.

Her weight was always average through high school, she was a cheerleader and very active in school events, but gradually over the years she put on pounds. Her appetite had remained excellent though she admits she does love breads and pasta and thinks that is what contributed most to her weight gain, though in the l(i)9.41.7 (ho)2.1 (ul )0( b)6.32 (i)3.4 ( lt)-2e 9.8 eip Tw 39. (r)3.6 (e)3 (d4 (n ( a)dm)4.6 (i)t.5 (t)1.6 8 )0.5

Family Hx: Both parents are deceased father died at the age of 69 from a massive stroke mother died at 62 from end stage kidney disease., she had been diagnosis with Diabetes at the age of 42 and had had numerous complications including partial amputation of her right foot. She was on dialysis for 3 years before she died….Annetta was very involved in her mothers care, giving her shots 2 times a day and transporting her to dialysis and MD visits.

Anetta is the youngest of 4 children and weighed 10 lbs 2 oz at birth. Both parents are overweight as are the siblings 2 of which have been dx as diabetes.

Personal and Social History

Happily married, lives at home that they have owned for 30 years. She has 3 grown children, 2 girls and 1 boy, 2 grand children. All live in the area. She smokes as previously noted, has an occasional drink (wine) after work with her friends and on special occasions. She is in the choir at her church, and enjoys reading and sewing, but it has been difficult to do these things lately. She knows she should exercise but it never quite fits into her schedule.

She enjoys her job as an Administrative Executive Secretary, where she has worked for the same boss for the last 26 years…they have been promoted in the company together. In this position there are lots of deadlines and reports and she feels that all things need to be done perfectly.

She is a high school graduate, and then completed Ms Hickey's Secretarial School. She was the top in her class.

Neither she nor her husband have ever been in the military
Diet: Eats a lot of bread and pasta. Normal dinner is 2 cps cooked pasta with homemade sauce, 3-4 slices of Italian bread (sometime with cheese and garlic) During the day she has a sandwich with lunch meat, usually puts butter on the bread to keep it moist. She also eats about 6 pieces of fruit a day at meals and as snacks, She prefers chicken and fish but when she goes out likes when it has a cream sauce on it best!

ROS: (in addition to what has already been given)
-Skin hair nails: skin dry flakey always, uses olive oil, nails unchanged; feet have dry skin and calluses

-Head and Neck, gums bleed after tooth brush, rare headaches late in day relieved with Ibuprofen

-eyes, blurry vision, especially as day goes on, getting worse, wears glasses for astigmatism, near sighted, has not seen eye dr 3 yr.

-ENT, seasonal allergies, fine right now, take OTC meds for it

-Chest/ lung, denies sob,

-Heart, denies chest pain, palpitations

-Abd, denies indigestion, regular BM no blood. Diet should be ? if not previous

-Female gyn, menses age 11, menopause 52, occ yeast infections treated with OTC meds

-Neuro, numbness tingling, wakes at night, several years, moving or changing positions helps

_all other systems unremarkable

Physical Exam: Things are a little blurry and you need to wear your glasses
You have numb toes/ feet (nothing else abnormal you need to act out)

Treatment Plan: You are very motivated, want to be well so that you can do well at work and enjoy children, and grandchildren. Think your husband will be supportive and could benefit from this plan as well…you want to do it together. You will do what ever you need to do.

Case: 6

John

Instructions to the Student

Chief Complaint: John is a 62-year-old auto mechanic who is requesting a routine checkup. He has a history of hypertension. He has not seen a health care provider since he lost his health care insurance about one year ago. He recently started a new job and is requesting a checkup. He takes Hydrochlorothiazide for high blood pressure. He feels he eats a healthy diet .His only complaints are occasional fatigue, blurred vision, and urinary frequency with dribbling after he urinates. He has to get up several times a night to void.

| | |
|---|---|
| Vital Signs, heigh | Male: Height: 70 inches: Weight 225 lb |
| Weight | Temp: 98 F HR= 80, regular |

Student Name _____

Instructor _____

Date_____

Instructor solicited information
Pre-examination diagnoses before seeing the client.

1. Essential hypertension.
2. BPH
3. Obesity
4. Eye problems such as presbyopia, cataract, glaucoma.

| | | |
|---|---|---|
| Grade: History: | | 30 pts _____ |
| | PE: | 30 pts_____ |
| | Diagnoses | 15 pts _____ |
| | Treatment | 25 pts _____ |

Total: _____

Student Name _____ CASE # 6

Instructor _____

Date _____

During direct observations of a patient encounter or a given case simulation, score the student on the following program outcomes:

| Program Learning Outcomes | Advanced | Proficient | Not Proficient |
|---|---|---|---|
| 3A.The student integrates advanced competencies in relationships with patients/professionals. | | | |

Client Script for Physical Assessment

| Instructor check off (20 pts) | System | Findings |
|---|---|---|
| | Demonstrates cultural sensitivity during physical examination | Ie. Draping, covering/uncovering, gender of provider/religious preferences observed |
| | Vital signs, height, weight | 162/96<br>HR 80<br>R18<br>T 98<br>Height 70 inches Weight 225 lbs. |
| | General Appearance | Well nourished, well developed, alert, NAD |
| | Skin | Warm, dry, without lesions |
| | Eyes | Red reflex intact. PERRLA, EOM's full. Optic disc margins well defined, no AV nicking or hemorrhages. |
| | Neck | Supple, no thyromegaly or bruits, no JVD. |
| | Lungs | CTA, AP/Lateral WNL. |
| | Heart | No lifts or heaves. PMI 5th ICS, MCL.<br>S1 and S2 RRR. Faint + S4 heard best at the apex.<br>Grade 2/6 systolic murmur. |
| | Abdomen | Obese. + normal BS. Soft, non-tender without masses, tenderness or bruits. |
| | Neurological | Alert & Oriented. Cooperative. Gait coordinated. Normal sensory, motor & vibratory sensatory bilaterally. DTR's + 2 throughout. |
| | Extremities | Pulses +2, skin warm & pink, no edema. Feet dry. No dermopathy. No open areas. Nails in good repair. |
| | Rectum | Anal sphincter and rectal vault wnl. Prostate boggy with symmetric lobes. No nodules, soft brown stool. Guiac negative. |

Script for Patient (Instructor copy)

You are a 61-year-old auto mechanic and come in alone.
You are not in any immediate distress.

CC “I haven’t been to a health care provider in a few years. I have high blood pressure but I’m really worried about having to urinate so much.”

History of Present Illness
Identify yourself as someone who really tries to avoid seeing a health care provider. You work really hard as an auto mechanic and don’t really have time for routine check-ups.
You’ve been diagnosed with high blood pressure but you’re really not concerned about this because you have no symptoms. You run out of your medication sometimes.

You’re here today because you’re constantly running to the bathroom to urinate. This interferes with your job and your sleep. You think you’re so tired because you get up several times a night to go to the bathroom. You don’t have any burning or pain with urinating. You have noticed that it’s difficult to get your stream going and sometimes you have to urinate twice in one hour.

Past Medical History
No known allergies.
HCTZ 12.5 mg PO daily
No major illnesses.
Father had HTN.

Personal and Social History
You smoke 1 pack of cigarettes a day. You started smoking age 16. You have 1-2 beers every evening after dinner. You’ve been married for 40 years and have three children who are all married with kids. You don’t have time to exercise. You feel you get plenty of exercise on the job.

ROS:
You do occasionally have some chest pressure but it’s usually because you work so hard. It doesn’t last very long (maybe 5 minutes). When you rest it goes away.

Physical Exam:
You really don’t see the need for a physical examination today. You just want something to stop the constant urination. You really don’t want to discuss your high blood pressure or your occasional chest discomfort.

Treatment Plan:
You want to know when you can stop taking your high blood pressure medicine. You are not interested in getting any testing done at this time.

Script for Patient (Student copy)

You are a 61-year-old auto mechanic and come in alone.
You are not in any immediate distress.

CC “ I haven’t been to a health care provider in a few years.  I have high blood pressure

Case: 7

Sally

Instructions to the Student

Chief Complaint: Sally is a 26 year old female who presents to the clinic today because she is worried about shortness of breath which started one week ago. She also is worried about a non-productive cough that is worse at night when she gets into bed. She sometimes has some nasal congestion. Otherwise, she states she is in good health.

| | |
|---|---|
| Vital Signs, height, Weight | BP 110/76 HR 80 (regular) Temp 98.6<br>Height 5'5 Weight 120 lbs |

Student Name _____ Case #7

Instructor _____

Date _____

Instructor solicited information
Pre-examinationdiagnoses before seeing the client.

1. Upper Respiratory Infection
2. Seasonal Allergies
3. Asthma
4. Upper Airway Cough Syndrome

| | | |
|---|---|---|
| Grade: History: | | 30 pts _____ |
| | PE: | 30 pts_____ |
| | Diagnoses | 15 pts _____ |
| | Treatment | 25 pts _____ |

Total: _____

Student Name _____ CASE # 7

Instructor _____

Date _____

During direct observations of a patient encounter or a given case simulation, student on the following program outcomes: ti EMC ti EMC 6CB10 12 4954 re

| | | |
|---|---|---|
| (30 pts) | History | |
| | Confirm chief complaint | |
| | HPI:onset: | |
| | Progression of symptoms: | |
| | Associated symptoms: | |
| | Alleviating factors: | |
| | Aggravating factors | |
| | Demonstrates cultural sensitivity while establishing rapp | |
| | Past MedicalHistory | |
| | Demonstrates cultural sensitivity during history gatherin | |
| | Medication | |
| | Allergies | |
| | Previous Illness | |
| | Hospitalizations, surgeries, trauma (none) | |
| | Health Maintenance | |
| | Family History | |
| | Social History | |
| | Exercise & Diet | |
| | Smoking & ETOH | |
| | Work environment | |
| | Review of Systems | |
| | | |

Client Script for Physical Assessment

| PE:Instructor check off (30 pts) | System | Findings |
|---|---|---|
| | Demonstrates cultural sensitivity during physical examination | Ie. Draping, |

(15 pts)
Final Diagnoses: 1. Asthma
2. High risk sexual behavior
3. ETOH abuse

(25 pts)Management Plan

| | | Comments |
|---|---|---|
| | Diagnosis | |
| | Identifies all three final diagnoses<br>Orders appropriate diagnostic tests:<br>PFT's FEV1 1.9 (81% of predicted)<br>FVC 3.3 (85%) of predicted<br>Improves by 20% with bronchodilator<br>HCG negative<br>Urine-Chlamydia/GC<br>RPR, VRDL, HIV | |
| | Management Plan<br><br>Pharmacology Orders medications consistent with Step 3 (moderate persistent asthma) care<br>Rescue Inhaler<br>Low Dose ICS & LABA | |
| | Therapeutic Communication | |
| | Explanations easily understandable and culturally appropriate | |
| | Professional approach | |
| | Explained findings & diagnosis clearly | |
| | Importance of follow up (1-2 weeks) | |
| | Patient education addresses:<br><u>Asthma</u><br>Asthma Triggers<br>Use of inhalers<br>Orders PFM & Spacer<br>Rinse mouth after using inhalers<br>Written asthma plan<br><br><u>High Risk Sexual Practices</u><br>Safer sex practices<br>Schedule follow up for WWE<br><br><u>ETOH Use</u><br>Explores perception of ETOH Use<br>Discusses options for decreasing Use<br>Health Protection | |

Script for Patient (Student Copy)

You are a 26-year old bartender.
You are very mildly SOB during this visit
CC “I’m having difficulty breathing.
History of Present Illness

You’re here today because you’ve been a “little bit short of breath” for the last week. You think it started about one week ago after you took your dog for a walk. It’s usually